

ISSN : 2301-6590



# Proceedings ICETD 2012

The First International Conference in  
Engineering and Technology Development



**Universitas Bandar Lampung**  
**20 - 21, June 2012**  
**Lampung, Indonesia**



## PREFACE

The activities of the International Conference is in line and very appropriate with the vision and mission of the UBL to promote training and education as well as research in these areas.

On behalf of the First International Conference of Engineering and Technology Development (ICETD 2012) organizing committee; we are very pleased with the very good responses especially from the keynote speakers and from the participants. It is noteworthy to point out that about 45 technical papers were received for this conference

The participants of conference come from many well known universities, among others: Universitas Bandar Lampung, International Islamic University Malaysia, University Malaysia Trengganu, Nanyang Technological University, Curtin University of Technology Australia, University Putra Malaysia, Jamal Mohamed College India, ITB, Mercu Buana University, National University Malaysia, Surya Institute Jakarta, Diponegoro University, Unila, Universitas Malahayati, University Pelita Harapan, STIMIK Kristen Newmann, BPPT Lampung, Nurtanio University Bandung, STIMIK Tarakanita, University Sultan Ageng Tirtayasa, and Pelita Bangsa.

I would like to express my deepest gratitude to the International Advisory Board members, sponsors and also welcome to all keynote speakers and all participants. I am also grateful to all organizing committee and all of the reviewers which contribute to the high standard of the conference. Also I would like to express my deepest gratitude to the Rector which give us endless support to these activities, such that the conference can be administrated on time.

Bandar Lampung, 20 Juni 2012

**Mustofa Usman, Ph.D**  
**ICETD Chairman**

**PROCEEDINGS**  
**The First International Conference in**  
**Engineering and Technology Development**  
**(ICETD 2012)**

**UNIVERSITAS BANDAR LAMPUNG**  
Bandar Lampung, Indonesia  
June, 20-21 2012

**Sterring Commite**

**Chairman**

Mustofa Usman

**Co-Chairman**

Marzuki

**Technical Committee**

Ahmad Cucus

Agus Sukoco

Dina Ika Wahyuningsih

**Treasure**

Maria Shusanti Febrianti

**Committee Member**

Indyah Kumoro

Fritz Akhmad Nuzir

Baginda Simaimban

Berry Salatar

Harpain

Yuthsi Aprilinda

Usman Rizal

Andala Rama P. Barusman

Yanuar Dwi Prasetyo

**International Advisory Board**

Ahmad F. Ismail, Malaysia

Hon Wei Leong, Singapore

Mustofa Usman, Indonesia

Imad Khamis, USA

Moses L. Singih, Indonesia

Y. M. Barusman, Indonesia

Andreas Dress, Germany

Rozlan Alias, Malaysia

Faiz A.M. Elfaki, Malaysia

Rudi Irawan, Indonesia

Warsono, Indonesia

Gusri Ibrahim, Indonesia

Raihan Othman, Malaysia

Jamal I Daoud, Malaysia

Zeng Bing Zen, China

Riza Muhida, Indonesia

Tjin Swee Chuan, Singapore

Heri Riyanto, Indonesia

Khomsahrial R, Indonesia

Agus Wahyudi, Indonesia

Rony Purba, Indonesia

Lilies Widodojoko, Indonesia

Alex Tribuana S, Indonesia



## **Organizing Committee**

### **Chair Person**

Prof. DR. Khomsahrial Romli, M.Si

### **Vice Chair Person**

Drs. Harpain, M.A.T., M.M

### **Secretary**

Fritz Akhmad Nuzir, S.T., M.A  
Ahmad Cucus, S.Kom., M.Kom

### **Treasure**

Dian Agustina, S.E

### **Special Events**

DR. Zulfi Diane Zaini, SH., MH  
DR. Baginda Simaibang, M.Ed  
Zainab Ompu Jainah, SH., MH  
DR. Alex Tribuana S., ST., MM  
Erlangga, S.Kom

### **Recepcionist**

Berry Salatar, A.Md  
Yanuar Dwi Prasetyo, S.Pd.I., M.A  
Siti Rahma Wati, S.E  
Ardiansyah, ST., MT  
Sofie Islamia Ishar, S.T., M.T  
Taqwan Thamrin, S.T., M.Sc

### **Transportation and Acomodation**

Irawati, SE  
Usman Rizal, S.T., MMSi  
Hendri Dunan, S.E., M.M  
Rifandi Ritonga, S.H  
Desi Puspita Sari, S.E  
Roby Yuli Endra, S.Kom  
Tanto Lailam, S.H  
Ilyas Sadad, S.T., M.T

### **Publication and Documentation**

Ir. Indriati Agustina Gultom, M.M  
Monica Mutiara Tinambunan, S.I.Kom., M.I.Kom  
Noning Verawati, S.Sos  
Hesti, S.H  
Rifandi Ritonga, SH

Olivia Tjioener, S.E., M.M  
Violita, S.I.Kom

**Cosumption**

Dra. Yulfriwini, M.T  
Dra. Agustuti Handayani, M.M  
Susilowati, ST., MT  
Wiwin Susanty, S.Kom  
Reni Nursyanti, S.Kom  
DR.Dra. Ida Farida, M.Si

**Facility and Decoration**

Zainal Abidin, SE  
Ahyar Saleh, SE  
Eko Suhardiyanto  
Dina Ika Wahyuningsih, A.Md  
Wagino  
Sugimin

## **Table Of Content**

Organizing Committee.....	i
Table Of Content.....	v

### **Keynote Speaker**

1. Zinc-Air Battery – Powering Electric Vehicles to Smart Active Labels <b>Dr. Raihan Othman</b> .....	1
2. Enhancing Heat Transfer Using Nanofluids(abstract) <b>Prof. Ahmad Faris Ismail</b> .....	6
3. Rapid Prototyping and Evaluation for Green Manufacturing <b>RizaMuhida, Ph.D</b> .....	7
4. Indonesia’s Challenge to Combat Climate Change Using Clean Energy <b>Rudi Irawan, Ph.D</b> .....	12
5. Paraboloid-Ellipsoid Programming Problem <b>Prof.Dr. Ismail Bin Mohd</b> .....	15
6. Model Development of Children Under Mortality Rate With Group Method of Data Handling <b>Dr. IingLukman</b> .....	27
7. The Modified CW1 Algorithm For The Degree Restricted Minimum Spanning Tree Problem <b>Wamiliana, Ph.D</b> .....	36
8. The Fibre Optic Sensor in Biomedical Engineering and Biophotonics <b>Prof. TjinSweeChuan</b> .....	

### **Speaker**

1. Web-Based Service Optimization with JSON-RPC Platform in Java and PHP <b>WachyuHari Haji</b> .....	1
2. Trouble Ticketing System Based Standard ISO10002: 2004 To Improve Handling of Complaints Responsibility <b>Ahmad Cucus, Marzuki, AgusSukoco, Maria ShusantiFebrianti, Huda Budi Pamungkas</b> .....	6
3. Design of Warehouse Management Application Tool for Controlling The Supply Chain <b>Anita Ratnasari, Edi Kartawijaya</b> .....	10
4. Development Of Decision Related Engine Using Integration Of Genetic Algorithm And Text Mining <b>EvianaTjaturPutri, Mardalena, Asmah</b> .....	15
5. Implementing CBR on The College Rankings Based on Webometrics with EPSBED’s Data and Webometrics Knowledge	

	<b>Marzuki , Maria Shusanti F, Ahmad Cucus , AgusSukoco</b> .....	19
6.	Paypal Analysis as e-Payment in The e-Business Development <b>Nomi Br Sinulingga</b> .....	24
7.	Decision Support System for Determination of Employees Using Fuzzy Decision Tree <b>Sinawaty#1, YusniAmaliah</b> .....	28
8.	Analysis of Factors Influencing Consumer Behavior Bring Their Own Shopping Bag (Case Study KecamatanTembalang) <b>Aries Susanty, DyahIkaRinawati, FairuzZakiah</b> .....	33
9.	The Use of Edge Coloring Concept for Solving The Time Schedule Problem at Senior High School (Case Study at SMAN 9 Bandarlampung) <b>RahmanIndraKesuma, Wamiliana, MachudorYusman</b> .....	41
10.	Analysis Of Web-Education Based on ISO / IEC 9126-4 For The Measurement Of Quality Of Use <b>Marzuki, AgusSukoco, Ahmad Cucus, Maria ShusantiFebrianti, Lisa Devilia</b> .....	46
11.	The Used of Video Tracking for Developing a Simple Virtual Boxing <b>David HabsaraHareva, Martin</b> .....	55
12.	M-Government as Solutions for E-Government problems in Indonesia <b>Ahmad Cucus, Marzuki, AgusSukoco, Maria ShusantiFebrianti</b> .....	60
13.	Open Source ERP for SME <b>Tristiyanto</b> .....	65
14.	Improvement in Performance of WLAN 802.11e Using Genetic Fuzzy Admission Control <b>SetiyoBudiyanto</b> .....	70
15.	Cloud Computing: Current and Future <b>TaqwanThamrin, Marzuki, Reni Nursyanti, Andala Rama Putra</b> .....	75
16.	Implementing Information Technology, Information System And Its Application In Making The Blue Print for The One Stop Permission Services <b>Sri AgustinaRumapea, HumuntalRumapea</b> .....	80
17.	Integration System Of Web Based And SMS Gateway For Information System Of Tracer Study <b>EndykNoviyantono, Aidil</b> .....	86
18.	Fuzzy Logic Applied To Intelligent Traffic Light <b>EndykNoviyantono, Muhammad</b> .....	93
19.	Solving and Modeling Ken-ken Puzzleby Using Hybrid Genetics Algorithm <b>Olivia Johanna, Samuel Lukas, Kie Van IvankySaputra</b> .....	98
20.	GIS Habitat Based Models Spatial Analysis to Determine The Suitability Of Habitat For Elephants <b>AgusSukoco</b> .....	103

21. The Course Management System Workflow-Oriented to Control Admission and Academic Process <b>Usman Rizal, YuthsiAprilinda</b> .....	108
22. Fuzzy Graphs With Equal Fuzzy Domination And Independent Domination Numbers <b>A.Nagoorgani, P. Vijayalakshmi</b> .....	115
23. Solving Pixel Puzzle Using Rule-Based Techniques and Best First Search <b>Dina Stefani, Arnold Aribowo, Kie Van IvankySaputra, Samuel Lukas</b> .....	118
24. Capacity Needs for Public Safety Communication Use 700 MHz as Common Frequencyin Greater Jakarta Area <b>SetiyoBudiyanto</b> .....	125
25. Impact of Implementation Information Technology on Accounting <b>Sarjito Surya</b> .....	132
26. Document Management System Based on Paperless <b>WiwinSusanty, TaqwanThamrin, Erlangga, Ahmad Cucus</b> .....	135
27. Traceability Part For Meter A14C5 In PT Mecoindo Of The Measurement Of Quality Of Use <b>Suratman, WahyuHadiKristanto, AsepSuprianto, MuhamadFatchan, DendyPramudito</b> .....	139
28. Designing and Planning Tourism Park with Environment and Quality Vision and Information Technology-Based(Case Study: Natural Tourism Park Raman Dam) <b>Fritz A. Nuzir, AgusSukoco, Alex T</b> .....	149
29. Smart House Development Based On Microcontroller AVR-ATMEGA328 <b>Haryansyah, Fitriansyah Ahmad, Hadriansa</b> .....	157
30. Analyze The Characteristic of Rainfall and Intensity Duration Frequency (IDF) Curve at Lampung Province <b>Susilowati</b> .....	161
31. The Research of Four Sugarcane Variety ( <i>Saccharum officinarum</i> ) as The Raw Materials of Bioethanol Production in Negara Bumi Ilir Lampung <b>M.C.Tri Atmodjo, Agus Eko T, Sigit Setiadi, Nurul Rusdi, Ngatinem JP, Rina, Melina, Agus Himawan</b> .....	174
32. Design an Inverter for Residential Wind Generator <b>Riza Muhida, Afzeri Tamsir, Rudi Irawan, Ahmad Firdaus A. Zaidi</b> .....	177
33. The Research of Two Sugarcane Variety ( <i>Saccharum officinarum</i> ) as The Raw Materials of Bioethanol Production in Negara Bumi Ilir - Lampung <b>M.C. Tri Atmodjo, Agus Eko T., Sigit Setiadi, Nurul Rusdi, Ngatinem JP, Rina, Melina, Agus H.</b> .....	182
34. Design of Plate Cutting Machine For Cane Cutter ( <i>Saccharum Oficinarum</i> ) Use Asetilin Gas <b>M,C, Tri Atmodjo, Tumpal O.R, Sigit D.Puspito</b> .....	186



35.	Behaviour of Sandwiched Concrete Beam under Flexural Loading <b>Firdaus, Rosidawani</b> .....	191
36.	Diesel Particulate Matter Distribution of DI Diesel Engine Using Tire Disposal Fuel <b>Agung Sudrajad</b> .....	196
37.	Microstructure Alterations of Ti-6Al-4V ELI during Turning by Using Tungsten Carbide Inserts under Dry Cutting Condition Ibrahim, G.A. Arinal, H, Zulhanif, Haron, C.H.C .....	200
38.	Validation Study of Simplified Soil Mechanics Method Design with Kentledge Pile Loading Test of Bored Pile Lilies Widodojoko .....	204
39.	Performance Assessment Tool for Transportation Infrastructure and Urban Development for Tourism Diana Lisa .....	211
40.	Earthquake Resistant House Building Structure Ardiansyah .....	221

# Diesel Particulate Matter Distribution of DI Diesel Engine Using Tire Disposal Fuel

Agung Sudrajad

<sup>#</sup>Department of Mechanical Engineering, Sultan Ageng Tirtayasa University  
Raya Merak KM 3, Cilegon Banten – Indonesia  
goenkobe@yahoo.com

**Abstract— Investigation on size distribution of Diesel Particulate Matter (DPM) of DI diesel engine running on tire disposal fuel was observed. The experimental project is comparison of size distribution of DPM between using tire disposal fuel and base diesel fuel. The engine experiment was conducted with YANMAR TF120M single cylinder four stroke diesel engine set-up at variable engine speed at 2400, 2100, 1800, 1500 and 1200 rpm. The data have been taken at each point of engine speed during the stabilized engine-operating regime. Measurement of size distribution of PM at different engine speed conditions have generally indicated bigger for tire disposal fuel compares to base diesel fuel.**

**Keywords: tire disposal fuel, Particulate Matter (PM), size distribution, diesel engine**

## I. INTRODUCTION

Fossil fuels which include oil, coal and natural gas are non-renewable source of energy. Once the amount of fossil fuels in the Earth is used up, these fuels cannot be replaced. The depletion of the world resource, particularly the depletion of fossil fuels becomes the main focus among public and politician after global warming issue. Since the world energy resources have peaked in production and are exceeded by demand, it could cause skyrocketing oil prices and stampede the world into new recession. Historically, global economic growth has never occurred without a simultaneous increase in the use of fossil fuel energy. Without cheap oil, there is no cheap food, water, health care, travel, housing or recreation. (Leng, R.A., 2010). Because of that, there are many alternative fuels that have been developed today in order to replace these natural resources. One of the alternatives is by producing fuel from scrap tires called tire derived fuel or tire fuel.

The smoky black exhaust that is emitted by diesel engines has been seen whether on highway or underground. Diesel engines are in common use in heavy duty trucks and buses because of their attractive performance characteristics and low operating cost. The incomplete combustion of diesel fuel results in the formation of solid and liquid particles in the exhaust called diesel particulate matter (DPM) that has been growing concern for over ten years. DPM contains elemental carbon, organic carbon, ash (metallic compounds and trace elements), sulphate, nitrates, adsorbed organic compounds and air toxins, and unidentified compounds. Other components of DPM are sulphuric acid and hydrocarbon or sulphate particles. (Sharp,

J., 2003). However, particles in diesel engine exhaust must be concern due to their very small diameter and the mixture of the chemical contain in the particles are hazardous and can give bad effect to health such as lung cancer.

There is limited information about diesel particulate matter (DPM) that related to tire fuel. In this study, the diameter, concentration and size distribution of DPM of single cylinder diesel engine running on tire fuel were analyzed. The data analyses are compared with base diesel fuel.

## II. EXPERIMENTAL METHOD

A direct-injection diesel engine (model TF120 YANMAR) with one cylinder was employed to the test. The engine specification is shown in Table 1. A schematic layout of the experimental setup is depicted in Fig. 1. The gross calorific value of waste plastic fuel is highest than diesel and tire plastic fuel as shown in table 2. The engine experimentally works on four-stroke cycle and was operated at 2400, 2100, 1800, 1500 and 1200 rpm with constant engine load. A hydraulic dynamometer was used to provide the constant engine load. The test was firstly started with diesel fuel, and when the engine reaches operating temperature, it was loaded with hydraulic dynamometer. The engine was tested at full load and various engine speeds. DPM was collected by a vacuum pump from downstream of the exhaust valve. Fig. 1 show the diagram of experimental engine setup. A composite filter was used to measure the DPM and analysis using SEM. At the end of the test, the engine was run with diesel fuel to flush out the tire disposal fuel from the fuel line and injection system.




Fig. 1. Experimental Setup

TABLE 1.  
EXPERIMENTAL ENGINE SPECIFICATION

Specification	
Engine Type	YANMAR TF120
Number of Cylinder	1
Bore x stroke (mm)	92 x 96
Displacement (L)	0.638
Continuous Output (HP)	10.5 HP at 2400 rpm
Rated output (HP)	12 HP at 2400 rpm
Cooling system	Hopper
Dry weight (kg)	102

TABLE 2.  
FUEL CHARACTERISTIC

	Diesel Oil	Tire Disposal Fuel
Density @15 <sup>o</sup> C, kg/L	0.87	0.871
Viscosity @40 <sup>o</sup> C, cst	2.0	1.7
Flash Point , <sup>o</sup> C	91.0	42
Sulphur , wt%	0.3	2.6
Carbon Residue , wt%	<0.1	0.02
Cetane Index	55	---
Ash content, wt%	0.002	---
Gross Calorific Value (MJ/kg)	46.5	45.7

Table 2 show the comparison of fuel characteristics between diesel fuel and tire fuel. Based on result above, the diesel fuel has a better quality compare to the tire fuel. The diesel fuel has lower sulphur content and higher gross calorific value than tire fuel. Low sulphur content will produce low Soluble Organic Fraction (SOF) concentration of particulate matter. Meanwhile, higher gross calorific value contributes To less fuel consumption. For the cetane number, tire fuel does not have any value. This is because the cetane number of tire fuel is out of range which may have highest or lowest cetane number until it cannot produce any value.

### III. RESULT AND DISCUSSION

Fig. 2 show the comparison of PM concentration for the tested fuel. Based on the graph, the PM concentration of the tire fuel is higher than the diesel fuel. At the minimum speed which is 1200 RPM, the value of PM concentration for diesel fuel is 0.14 g/m<sup>3</sup> meanwhile the tire fuel produced 0.335 g/m<sup>3</sup> of PM. At 2400 RPM which is the maximum speed, the PM concentration for the diesel fuel is 0.265 g/m<sup>3</sup> and for the tire fuel are 2.57 g/m<sup>3</sup>. The average of PM concentration of tire fuel is higher than diesel fuel by 83.04 %. When the engine speed increase, the PM concentrations for both fuel also increase. The PM concentration of tire fuel is higher than diesel fuel because the tire fuels has not completely burned during the combustion and produces a lot of carbon. The carbon that not completely burned will flow through the exhaust valve and will be trapped to the filter. Moreover, tire

fuel forms a lot of carbon black due to combustion during pyrolysis process.




Fig. 2. Dpm Concentration

Fig. 3 show the comparison between tire fuel and diesel fuel for SOF concentration. The value of SOF concentration of tire fuel is higher than diesel fuel. At the minimum of engine speed which is 1200 RPM, the value of SOF concentration for diesel fuel is 0.11 g/m<sup>3</sup> and for the diesel fuel is 0.265 g/m<sup>3</sup>. At the maximum engine speed which is 2400 RPM, the diesel fuel produced 0.21 g/m<sup>3</sup> of SOF concentration meanwhile the tire fuel produced 2.38 g/m<sup>3</sup> SOF concentration. The average of SOF concentration due to usage of tire fuel is higher than the diesel fuel by 84.71 %. The graph shows increasing value of SOF concentration for both fuels with increasing of speed. The SOF concentration for the tire fuel is high because the sulphur content of the tire fuel is 0.811 % higher than the diesel fuel which is 0.042 %. The higher the sulphur content, the higher the SOF concentration.




Fig. 3. Sof Concentration

Fig. 4 shows the comparison of DS concentrations for the tested fuel. The value of DS concentration due to usage of tire fuel is higher than diesel fuel. At the minimum engine speed

which is 1200 RPM, the value of DS concentrations for the diesel fuel is 0.03 g/m<sup>3</sup> and for the tire fuel is 0.07 g/m<sup>3</sup>. At 2400 RPM which is the maximum engine speed, the diesel fuel has been produced 0.055 g/m<sup>3</sup> of DS concentrations whereas the tire fuel had produced 0.19 g/m<sup>3</sup> of DS concentrations. The average of DS concentrations for diesel fuel is lower than tire fuel by 69.17 %. The trend of the graph shows that the DS concentrations increase with increasing of engine speed. Dry soot is the solid particles that have been trapped on the filter. The DS concentration of the tire fuel is higher than diesel fuel because the carbon content in the tire fuel is high. The increasing of the engine speed has been contributed to the formation of the dry soot rapidly.




Fig. 4. Ds Concentration

Fig. 5 show the bar chart of size distribution of DPM diameter for the diesel fuel and the tire fuel at 1200 RPM. For diameter range 50 to 100 nm, the size distributions for the tire fuel is 46.7 % higher than diesel fuel which is 13.3 % only. The both fuel consists most of diameter range 101 to 150 nm and approximately have the same amount of size distributions which is 40 % for diesel fuel and 46.7 % for the tire fuel. For the diameter range more than 150 nm, the diesel fuel is higher than the tire fuel which is 46.7 %. Meanwhile, the tire fuel only have 6.7 % of size distribution of DPM diameter. From the bar chart, the tire fuel have consisted more small particle which below 100 nm compared to the diesel fuel that consisted more large particle which above 150 nm.




Fig. 5. Comparison of Size Distribution Dpm At 1200 Rpm

Fig. 6 show the bar chart of percentage distribution versus DPM diameter at 2400 RPM of engine speed. For the diameter range below than 100 nm and 101 to 150 nm, the tire fuel has higher percentage distribution compared to the diesel fuel. At range below than 100 nm, the percentage of distribution for tire fuel is 30 % and the diesel fuel is 13.3 % whereas for the range 101 to 150 nm the tire fuel recorded 56.7 % and the diesel fuel recorded 40 % of percentage distribution. For the diameter range more than 150 nm, the diesel fuel has the higher percentage than the tire fuel by 33.4 % difference. Based on the trends of bar chart for all speed have shown that the tire fuel produced many small particle which is the diameter below than 100 nm that very harmful to human health. This small particle can easily penetrate into human blood cells and also human lung that contribute to the lung cancer.




Fig. 6. Comparison Of Size Distribution Dpm At 2400 Rpm




Fig. 7. Photographs Of Dpm By Sem

#### IV. CONCLUSIONS

The main objective of this project is to analyze the DPM concentrations, size distribution and size diameter of diesel particulate matter (DPM) of a single cylinder diesel engine by using tire fuel compared to diesel fuel. From the experiment, the average the DPM concentration of tire fuel is higher than diesel fuel by 83.04%. For SOF concentration, the average amount due to usage of tire fuel is also higher than the diesel fuel by 84.71%. Moreover, for DS concentration the tire fuel is higher than diesel fuel by 69.17%.

Based on analysis of size distribution, the tire fuel have produced many small particle which is range below 100 nm compared to the diesel engine that produced many large particle which more than 150 nm. As a result, the particle that produced when the engine run using the tire fuel is more

harmful to the human health since the small particle is easy to penetrate into blood cells and lung.

In general condition, the engine running smoothly when the tire fuel was used in range of speed. Furthermore, the particulate matters that have been trapped at the filter become browner with increasing of the engine speed. The exhaust smoke causes irritation to the eyes as well as breathing difficulty.

#### REFERENCES

- [1] Ames, W. R. 2007. *Analysis of A 2007 EPA Compliant DPM Sampling System*. West Virginia University: ProQuest Information and Learning Company.
- [2] Buekens, A. 2006. *Introduction to Feedstock Recycling of Plastics. Feedstock Recycling and Pyrolysis of Waste Plastics; Converting Waste Plastics into Diesel and Other Fuels*. Belgium: John Wiley & Sons.
- [3] Burtscher, H. 2004. Physical Characterization of Particulate Emissions from Diesel Engines: A Review. *Journal of Aerosol Science*. **36**: 896-932.
- [4] Challen, B. and Baranescu, R. 1999. *Diesel Engine Reference Book 2<sup>nd</sup> Edition*. Amsterdam: Elsevier Butterworth Heinemann.
- [5] Heywood, B. J. 1988. *Internal Combustion Engines Fundamentals*. McGraw-Hill.
- [6] Kaminsky, W. 2006. *The Hamburg Fluidized-Bed Pyrolysis Process to Recycle*
- [7] Leng, R. A. 2010. The Impact of Resource Depletion is Being Overshadowed by the Threat of Global Warming. *Journal of Livestock Research for Rural Development*. **22**(2). Australia.
- [8] Leng, R. A. 2010. The Impact of Resource Depletion is Being Overshadowed by the Threat of Global Warming. *Journal of Livestock Research for Rural Development*. **22**(2). Australia.
- [9] Mani, M., Subash, C. and Nagarajan, G. 2009. Performance, Emission and Combustion Characteristics of a DI Diesel Engine Using Waste Plastic Oil. *Journal of Applied Thermal Engineering*. **29**: 2738-2744. India: Elsevier.
- [10] Matthey, J. 2004. Controlling Particulate Emissions from Diesel Vehicles. *Journal of Topics in Catalysis*. **28**: 1-4. United Kingdom (UK).
- [11] Murugan, S., Ramaswamy, M. C. and Nagarajan, G. 2008. The Use of Tire Pyrolysis Oil in Diesel Engines. *Journal of Waste Management*. **28**(12): 2743-2749.
- [12] Setten, V. L. A. A. B., Makkee, M. and Mouljin, A. J. 2001. Science and Technology of Catalytic Diesel Particulate Filters. *Journal of Catalysis Reviews*. **43**(4): 489-564.
- [13] Sharp, J. 2003. *The Public Health Impact of Diesel Particulate Matter*. Sierra Club of Canada, Eastern Canada Chapter.
- [14] Wibawaningrum, R. 2005. *An Experimental Study on Effect of Sulfur Content in MDO to Exhaust Gas*. Master Thesis: Campus of ITS Keputih Sukolilo Surabaya.
- [15] Zadgaonkar, A. 2006. *Process and Equipment for Conversion of Waste Plastics. Feedstock Recycling and Pyrolysis of Waste Plastics; Converting Waste Plastics into Diesel and Other Fuels*. Nagpur, India.



Hosted By :  
Faculty of Engineering and Faculty of Computer Science  
Universitas Bandar Lampung (UBL)

