

ISSN : 2301-6590



Proceedings ICETD 2012

The First International Conference in
Engineering and Technology Development



Universitas Bandar Lampung
20 - 21, June 2012
Lampung, Indonesia



PREFACE

The activities of the International Conference is in line and very appropriate with the vision and mission of the UBL to promote training and education as well as research in these areas.

On behalf of the First International Conference of Engineering and Technology Development (ICETD 2012) organizing committee; we are very pleased with the very good responses especially from the keynote speakers and from the participants. It is noteworthy to point out that about 45 technical papers were received for this conference

The participants of conference come from many well known universities, among others: Universitas Bandar Lampung, International Islamic University Malaysia, University Malaysia Trengganu, Nanyang Technological University, Curtin University of Technology Australia, University Putra Malaysia, Jamal Mohamed College India, ITB, Mercu Buana University, National University Malaysia, Surya Institute Jakarta, Diponegoro University, Unila, Universitas Malahayati, University Pelita Harapan, STIMIK Kristen Newmann, BPPT Lampung, Nurtanio University Bandung, STIMIK Tarakanita, University Sultan Ageng Tirtayasa, and Pelita Bangsa.

I would like to express my deepest gratitude to the International Advisory Board members, sponsors and also welcome to all keynote speakers and all participants. I am also grateful to all organizing committee and all of the reviewers which contribute to the high standard of the conference. Also I would like to express my deepest gratitude to the Rector which give us endless support to these activities, such that the conference can be administrated on time.

Bandar Lampung, 20 Juni 2012

Mustofa Usman, Ph.D
ICETD Chairman

PROCEEDINGS
The First International Conference in
Engineering and Technology Development
(ICETD 2012)

UNIVERSITAS BANDAR LAMPUNG
Bandar Lampung, Indonesia
June, 20-21 2012

Sterring Commite

Chairman

Mustofa Usman

Co-Chairman

Marzuki

Technical Committee

Ahmad Cucus

Agus Sukoco

Dina Ika Wahyuningsih

Treasure

Maria Shusanti Febrianti

Committee Member

Indyah Kumoro

Fritz Akhmad Nuzir

Baginda Simaimban

Berry Salatar

Harpain

Yuthsi Aprilinda

Usman Rizal

Andala Rama P. Barusman

Yanuar Dwi Prasetyo

International Advisory Board

Ahmad F. Ismail, Malaysia

Hon Wei Leong, Singapore

Mustofa Usman, Indonesia

Imad Khamis, USA

Moses L. Singih, Indonesia

Y. M. Barusman, Indonesia

Andreas Dress, Germany

Rozlan Alias, Malaysia

Faiz A.M. Elfaki, Malaysia

Rudi Irawan, Indonesia

Warsono, Indonesia

Gusri Ibrahim, Indonesia

Raihan Othman, Malaysia

Jamal I Daoud, Malaysia

Zeng Bing Zen, China

Riza Muhida, Indonesia

Tjin Swee Chuan, Singapore

Heri Riyanto, Indonesia

Khomsahrial R., Indonesia

Agus Wahyudi, Indonesia

Rony Purba, Indonesia

Lilies Widodojoko, Indonesia

Alex Tribuana S., Indonesia

Organizing Committee

Chair Person

Prof. DR. Khomsahrial Romli, M.Si

Vice Chair Person

Drs. Harpain, M.A.T., M.M

Secretary

Fritz Akhmad Nuzir, S.T., M.A
Ahmad Cucus, S.Kom., M.Kom

Treasure

Dian Agustina, S.E

Special Events

DR. Zulfi Diane Zaini, SH., MH
DR. Baginda Simaibang, M.Ed
Zainab Ompu Jainah, SH., MH
DR. Alex Tribuana S., ST., MM
Erlangga, S.Kom

Recepcionist

Berry Salatar, A.Md
Yanuar Dwi Prasetyo, S.Pd.I., M.A
Siti Rahma Wati, S.E
Ardiansyah, ST., MT
Sofie Islamia Ishar, S.T., M.T
Taqwan Thamrin, S.T., M.Sc

Transportation and Acomodation

Irawati, SE
Usman Rizal, S.T., MMSi
Hendri Dunan, S.E., M.M
Rifandi Ritonga, S.H
Desi Puspita Sari, S.E
Roby Yuli Endra, S.Kom
Tanto Lailam, S.H
Ilyas Sadad, S.T., M.T

Publication and Documentation

Ir. Indriati Agustina Gultom, M.M
Monica Mutiara Tinambunan, S.I.Kom., M.I.Kom
Noning Verawati, S.Sos
Hesti, S.H
Rifandi Ritonga, SH

Olivia Tjioener, S.E., M.M
Violita, S.I.Kom

Cosumption

Dra. Yulfriwini, M.T
Dra. Agustuti Handayani, M.M
Susilowati, ST., MT
Wiwin Susanty, S.Kom
Reni Nursyanti, S.Kom
DR.Dra. Ida Farida, M.Si

Facility and Decoration

Zainal Abidin, SE
Ahyar Saleh, SE
Eko Suhardiyanto
Dina Ika Wahyuningsih, A.Md
Wagino
Sugimin

Table Of Content

| | |
|---|----|
| Organizing Committee..... | i |
| Table Of Content..... | v |
| Keynote Speaker | |
| 1. Zinc-Air Battery – Powering Electric Vehicles to Smart Active Labels Dr. Raihan Othman | 1 |
| 2. Enhancing Heat Transfer Using Nanofluids(abstract) Prof. Ahmad Faris Ismail | 6 |
| 3. Rapid Prototyping and Evaluation for Green Manufacturing RizaMuhida, Ph.D | 7 |
| 4. Indonesia’s Challenge to Combat Climate Change Using Clean Energy Rudi Irawan, Ph.D | 12 |
| 5. Paraboloid-Ellipsoid Programming Problem Prof.Dr. Ismail Bin Mohd | 15 |
| 6. Model Development of Children Under Mortality Rate With Group Method of Data Handling Dr. IingLukman | 27 |
| 7. The Modified CW1 Algorithm For The Degree Restricted Minimum Spanning Tree Problem Wamiliana, Ph.D | 36 |
| 8. The Fibre Optic Sensor in Biomedical Engineering and Biophotonics Prof. TjinSweeChuan | |
| Speaker | |
| 1. Web-Based Service Optimization with JSON-RPC Platform in Java and PHP WachyuHari Haji | 1 |
| 2. Trouble Ticketing System Based Standard ISO10002: 2004 To Improve Handling of Complaints Responsibility Ahmad Cucus, Marzuki, AgusSukoco, Maria ShusantiFebrianti, Huda Budi Pamungkas | 6 |
| 3. Design of Warehouse Management Application Tool for Controlling The Supply Chain Anita Ratnasari, Edi Kartawijaya | 10 |
| 4. Development Of Decision Related Engine Using Integration Of Genetic Algorithm And Text Mining EvianaTjaturPutri, Mardalena, Asmah | 15 |
| 5. Implementing CBR on The College Rankings Based on Webometrics with EPSBED’s Data and Webometrics Knowledge | |

| | | |
|-----|---|-----|
| | Marzuki , Maria Shusanti F, Ahmad Cucus , AgusSukoco | 19 |
| 6. | Paypal Analysis as e-Payment in The e-Business Development Nomi Br Sinulingga | 24 |
| 7. | Decision Support System for Determination of Employees Using Fuzzy Decision Tree Sinawaty#1, YusniAmaliah | 28 |
| 8. | Analysis of Factors Influencing Consumer Behavior Bring Their Own Shopping Bag (Case Study KecamatanTembalang) Aries Susanty, DyahIkaRinawati, FairuzZakiah | 33 |
| 9. | The Use of Edge Coloring Concept for Solving The Time Schedule Problem at Senior High School (Case Study at SMAN 9 Bandarlampung) RahmanIndraKesuma, Wamiliana, MachudorYusman | 41 |
| 10. | Analysis Of Web-Education Based on ISO / IEC 9126-4 For The Measurement Of Quality Of Use Marzuki, AgusSukoco, Ahmad Cucus, Maria ShusantiFebrianti, Lisa Devilia | 46 |
| 11. | The Used of Video Tracking for Developing a Simple Virtual Boxing David HabsaraHareva, Martin | 55 |
| 12. | M-Government as Solutions for E-Government problems in Indonesia Ahmad Cucus, Marzuki, AgusSukoco, Maria ShusantiFebrianti | 60 |
| 13. | Open Source ERP for SME Tristiyanto | 65 |
| 14. | Improvement in Performance of WLAN 802.11e Using Genetic Fuzzy Admission Control SetiyoBudiyanto | 70 |
| 15. | Cloud Computing: Current and Future TaqwanThamrin, Marzuki, Reni Nursyanti, Andala Rama Putra | 75 |
| 16. | Implementing Information Technology, Information System And Its Application In Making The Blue Print for The One Stop Permission Services Sri AgustinaRumapea, HumuntalRumapea | 80 |
| 17. | Integration System Of Web Based And SMS Gateway For Information System Of Tracer Study EndykNoviyantono, Aidil | 86 |
| 18. | Fuzzy Logic Applied To Intelligent Traffic Light EndykNoviyantono, Muhammad | 93 |
| 19. | Solving and Modeling Ken-ken Puzzleby Using Hybrid Genetics Algorithm Olivia Johanna, Samuel Lukas, Kie Van IvankySaputra | 98 |
| 20. | GIS Habitat Based Models Spatial Analysis to Determine The Suitability Of Habitat For Elephants AgusSukoco | 103 |

| | |
|--|-----|
| 21. The Course Management System Workflow-Oriented to Control Admission and Academic Process Usman Rizal, YuthsiAprilinda | 108 |
| 22. Fuzzy Graphs With Equal Fuzzy Domination And Independent Domination Numbers A.Nagoorgani, P. Vijayalakshmi | 115 |
| 23. Solving Pixel Puzzle Using Rule-Based Techniques and Best First Search Dina Stefani, Arnold Aribowo, Kie Van IvankySaputra, Samuel Lukas | 118 |
| 24. Capacity Needs for Public Safety Communication Use 700 MHz as Common Frequencyin Greater Jakarta Area SetiyoBudiyanto | 125 |
| 25. Impact of Implementation Information Technology on Accounting Sarjito Surya | 132 |
| 26. Document Management System Based on Paperless WiwinSusanty, TaqwanThamrin, Erlangga, Ahmad Cucus | 135 |
| 27. Traceability Part For Meter A14C5 In PT Mecoindo Of The Measurement Of Quality Of Use Suratman, WahyuHadiKristanto, AsepSuprianto, MuhamadFatchan, DendyPramudito | 139 |
| 28. Designing and Planning Tourism Park with Environment and Quality Vision and Information Technology-Based(Case Study: Natural Tourism Park Raman Dam) Fritz A. Nuzir, AgusSukoco, Alex T | 149 |
| 29. Smart House Development Based On Microcontroller AVR-ATMEGA328 Haryansyah, Fitriansyah Ahmad, Hadriansa | 157 |
| 30. Analyze The Characteristic of Rainfall and Intensity Duration Frequency (IDF) Curve at Lampung Province Susilowati | 161 |
| 31. The Research of Four Sugarcane Variety (<i>Saccharum officinarum</i>) as The Raw Materials of Bioethanol Production in Negara Bumi Ilir Lampung M.C.Tri Atmodjo, Agus Eko T, Sigit Setiadi, Nurul Rusdi, Ngatinem JP, Rina, Melina, Agus Himawan | 174 |
| 32. Design an Inverter for Residential Wind Generator Riza Muhida, Afzeri Tamsir, Rudi Irawan, Ahmad Firdaus A. Zaidi | 177 |
| 33. The Research of Two Sugarcane Variety (<i>Saccharum officinarum</i>) as The Raw Materials of Bioethanol Production in Negara Bumi Ilir - Lampung M.C. Tri Atmodjo, Agus Eko T., Sigit Setiadi, Nurul Rusdi, Ngatinem JP, Rina, Melina, Agus H. | 182 |
| 34. Design of Plate Cutting Machine For Cane Cutter (<i>Saccharum Oficinarum</i>) Use Asetilin Gas M,C, Tri Atmodjo, Tumpal O.R, Sigit D.Puspito | 186 |

| | | |
|-----|---|-----|
| 35. | Behaviour of Sandwiched Concrete Beam under Flexural Loading Firdaus, Rosidawani | 191 |
| 36. | Diesel Particulate Matter Distribution of DI Diesel Engine Using Tire Disposal Fuel Agung Sudrajad | 196 |
| 37. | Microstructure Alterations of Ti-6Al-4V ELI during Turning by Using Tungsten Carbide Inserts under Dry Cutting Condition Ibrahim, G.A. Arinal, H, Zulhanif, Haron, C.H.C | 200 |
| 38. | Validation Study of Simplified Soil Mechanics Method Design with Kentledge Pile Loading Test of Bored Pile Lilies Widodojoko | 204 |
| 39. | Performance Assessment Tool for Transportation Infrastructure and Urban Development for Tourism Diana Lisa | 211 |
| 40. | Earthquake Resistant House Building Structure Ardiansyah | 221 |

Analysis of Web-Education Based on ISO/IEC 9126-4 for the Measurement of Quality of Use

Marzuki^{#1}, Agus Sukoco^{#2}, Ahmad Cucus^{#3}, Maria ShusantiFebrianti^{#4} Lisa Devilia^{#5}

^{#1,2,3,4,5}Faculty of Computer Science, Bandar Lampung University

Jl. ZA. PagarAlam No. 26, LabuhanRatu, Bandar Lampung 35142, Lampung, Indonesia

¹marzukird@yahoo.com

²agussukoco16@gmail.com

³cucus_ahmad@yahoo.com

⁴suzanne_maria1986@yahoo.co.id

Abstract— FIK UBL Website is the website of the Faculty of Computer Science education at the University of Bandar Lampung. Domain name from FIK website UBL is www.fik.ubl.ac.id. FIK website is a subdomain of the UBL website www.ubl.ac.id. The website uses ac.id as Country Code Top level domains, domain primarily UBL, and Third-level domain is the FIK. UBL has FIK Website Hosting Server at Nusanet provider. In terms of design websites using CMS jg FIK UBL, the CMS Lokomedia. Scientific Writing will specifically focus on the analysis of UBL-based FIK website ISO / IEC 9126-4 for the use of quality measurement. In this regard, in ISO / IEC 9126-4, there are 4 metrics used to measure, among other effectiveness metrics, productivity metrics, security metrics, and Satisfaction Metrics. More specific explanation will describe in Chapter IV the author of scientific writing is about the quality of the use of UBL FIK website.

Keywords—Website, ISO / IEC 9126, Metrics, Effectiveness Metrics, Productivity Metrics.

1. INTRODUCTION

Today the world has known a technology called the internet. With this internet everyone can communicate with other people who are in different parts of the world. Internet has a variety of information services, one of which is presented through the Website or the World Wide Web (WWW). Website is one of the Internet resources of the fastest growing and popular. Web information is distributed through hypertext approach, which allows an approach to be a reference text for other open documents. Given this hypertext one can obtain information by leaping from one document into another document (Kadir: 2003, 4).

All information in this Internet medium is the Website. Seeing as the rapid development of the website right now, should be able to choose which websites are qualified and able to meet their information needs. Education website to provide information needed by students at the University.

Education at the university website contains information about the campus. Campus so that students can find out information simply by accessing the website only. Quality of service in the dissemination of information in the campus internet website has become a very important requirement, because it affects the level of student satisfaction and the outside community. Ultimately improving the quality of

service is an indicator of success in improving the image of college campuses in the Internet world.

Education website is a website that will be examined is FIK UBL. At the University Belfast, School of Computer Science is the only faculty who have a different faculty website of UBL campus website. For that reason, building a website requires the right information and reliable. Thus, the quality of the use of UBL FIK campus website can be evaluated based on ISO / IEC 9126-4 Quality Metrics Use.

ISO (*International Organization for Standardization*) and IEC (*International Electrotechnical Commission*) is a standardization organization in the world. ISO 9126 Software engineering - Product Quality is an international standard for evaluating the quality of the software. The international standard is divided into 4 parts, namely the quality model (ISO / IEC 9126-1), External metrics (ISO / IEC 9126-2), Internal metrics (ISO / IEC 9126-3), and Use of Quality Metrics (ISO / IEC 9126-4). section that will be examined for the website, ISO / IEC 9126-4. ISO / IEC 9126-4 Quality Metrics is these of International Standards published by ISO and IEC to software measurement of quality of use.

2. MODEL, ANALYSIS, DESIGN, AND IMPLEMENTATION MODEL

2.1 Research Model

In the study will measure the UBL website based FIK Standard ISO / IEC 9126-4 Quality Metrics Use. So that the research conducted to provide answers to questions about the quality / quality use of UBL FIK campus website. If these aspects in a website that quality criteria are met, then a valuable website to meet the needs of the information has been obtained.

ISO / IEC 9126-4 Quality Use of Metrics used to measure the extent to which a product meets the requirements specified users to achieve specific goals. Metrics is a unit for measuring the software. In the ISO / IEC 9126-4 there were metrics of effectiveness, safety, productivity, and satisfaction in a specified context of use of quality metrics. Quality in use is not only dependent on software products, but also on the specific context in which the product is being used. Context of use is determined by a factor of user, task factors and physical and social environmental factors. Quality used is assessed by observing representative

users carry out representative tasks in a realistic context of use.

In the ISO / IEC 9126-4 there were four metrics, namely:

- 1) Effectiveness
Effectiveness metrics measure the accuracy and completeness with the goal could be achieved.
- 2) Productivity
Productivity measures related to the level of effectiveness achieved for the expenditure of resources. Relevant resources may include mental or physical effort, time, materials or financial cost..
- 3) Safety
Kuran verifier security risks associated with the operation of software products from time to time, conditions of use and context of use. Safety can be analyzed in terms of operational safety and contingency safety. Operational safety is the ability of software to meet user requirements during normal operation without jeopardizing other resources and the environment. Safety is the ability of contingency software to operate outside the normal operations and divert resources to prevent escalation risk.
- 4) Satisfaction
Satisfaction measures the extent to which users are free from discomfort and their attitude towards use of the product. Satisfaction can be defined and measured according to the subjective judgment on scale such as: love for products, satisfaction with the use of the product, acceptance of workload when performing different tasks, or the extent to which a certain quality in use objectives (such as productivity or ability to learn) have been met.

2.2 Analysis of Data

1. Sample Selection Methods

Population is the complete set of entities that can be made up of people, events, or objects, which have some common characteristics (Wibisono, 2003: 40). Sample is part of the population. Samples consisted of a few selected members of the population (Wibisono, 2003: 41). Samples can also be defined as a part drawn from the population (Istijanto, 2009: 113). As a result, the sample is always a smaller part of the population. Because the sample is used to represent the population studied, the sample tends to be used for research seeking to conclude the generalization of its findings.

In this study, the thresholds in the population of this study is based on ISO / IEC 9126-4 is:

1. Users is individuals or organizations that use the system to perform certain functions.
2. Developer is the individual or organization who do development of activities, including requirements analysis, design, and testing during the cycle software life.

The study population of the user is a student / faculty student university computer Bandar Lampung is still active some 121 people, and a developer is the person who designed the website FIK UBL. Then, the sample size of this study were 11 people, consisting of 10 people a user who is

a student / student and a person FIK UBL Developer of this website.

The sampling method used in this study is purposive sampling technique, consists of two selection methods, namely: the selection of samples based on quotas, while the study used a method / technique is based on considerations of sample selection (judgment sampling), the selection is not random that the information obtained by using certain considerations which are generally adapted to the purpose of this study and formulation of the problem.

2. Sample Selection Methods

Data collection methods used in this study, namely:

- 1) Observation
Observation is the ability to use his observations through the eyes of the senses work and assisted with other senses. According to Patton (in Poerwandari 1998) describe the purpose of observation is a study setting, the activities that took place, the people involved in the activity, and the meaning of events in view of their perspective is seen in the observed events.
- 2) Questionnaire
The questionnaire was given written questions to the respondent to answer. Respondents could provide the answer by checking one or more answers have been provided, or by writing the answer (Kountur, 2007: 189). Authors use this questionnaire as a data collection tool developed by the main grid predetermined.

3. Sample Selection Methods

The research variables used in this study contained within the ISO 9126-4 on the use of quality measures, namely:

1. Effectiveness Metrics

Effectiveness metrics to assess whether the tasks performed by users to achieve specified goals with accuracy and comprehensiveness in the particular context of use.

Effectiveness metrics are divided into:

a. Effectiveness Task

Subvariabel is used to determine the proportion of the purpose of the task is accomplished correctly. In this subvariabel calculation using the method of data elements are:

$$M1 = |1 - \sum A_i|_1$$

Description:

A_i = proportional value of the missing or faulty components in the output task.

b. Task Completion

Subvariabel is used to determine the proportion of tasks completed. In this subvariabel calculation using the method of data elements are:

$$X = A / B$$

Description:

A = number of completed tasks

B = total number of tasks executed

c. Frequency Error

Subvariabel is used to determine the frequency of errors found. In this subvariabel calculation using the method of data elements are:

$$X = A / T$$

Description:

A = the number of errors made by users

T = time or the number of tasks

2.3 Productivity Metrics

Productivity metrics to assess the user's resource consumption in relation to the effectiveness achieved in the particular context of use. The most common resource is the time to complete the task, although other relevant resources could include business users, the use of materials or financial cost.

Productivity metrics are divided into the following:

a. Task time

Subvariabel is used to determine the time needed to complete the task. In this subvariabel calculation using the method of data elements are:

$$X = T_a$$

Description:

T_a = Time Tasks

b. Efficiency Task

Subvariabel is used to determine how efficient use of the website. In this subvariabel calculation using the method of data elements are:

$$X = M1 / T$$

Description:

M1 = The effectiveness of task

T = Time task

c. Economic Productivity

Subvariabel is used to determine cost effective in use. In this subvariabel calculation using the method of data elements are:

$$X = M1 / C$$

Description:

M1 = Effectiveness Task

C = Total Biaya Tugas

d. Proportion of Productive

Subvariabel is used to determine the proportion of time when users productive action. In this subvariabel calculation using the method of data elements are:

$$X = T_a / T_b$$

Description:

T_a = time = time productive tasks - time help - the error -

the search

T_b = time task

e. Relative User Efficiency

Subvariabel is used to determine how efficiently the user compared to the expert. In this subvariabel calculation using the method of data elements are:

$$\text{Relative User Efficiency } X = A / B$$

Description:

A = Efficiency of Common User Tasks

Task B = Efficiency Expert Users

2.4 Security Metrics

Security metrics to assess the level of risk of harm to people, software, business property, or the environment in a particular context is used. These include health and safety of both users and those affected by the use, as well as physical or economic consequences are not desirable.

Security metrics are divided into the following:

a. Health and Safety Users

Subvariabel is used to determine the health problems of the user while using the website. In this subvariabel calculation using the method of data elements are:

$$X = 1 - A / B$$

Description:

A = the number of users who report health problems

B = total number of users

b. Safety of people affected by the use of the system

Subvariabel is used to determine the incidence of air hazard to persons affected when using the system. In this subvariabel calculation using the method of data elements are:

$$X = 1 - A / B$$

Description:

A = the number of people affected by hazards

B = total number of people potentially affected by the system

c. Economic Damage

Subvariabel is used to determine the economic damage. In this subvariabel calculation using the method of data elements are:

$$X = 1 - A / B$$

Description:

A = number of occurrences of economic damage

B = total number of use

d. Damage to software

Subvariabel is used to determine the occurrence of software defects. In this subvariabel calculation using the method of data elements are:

$$X = 1 - A / B$$

Description:

A = number of occurrences of software malfunction

B = total number of situations of use

2.5 Satisfaction Metrics

User satisfaction metrics to assess attitudes toward the use of certain products in the context of use. Satisfaction is influenced by user perceptions about the nature of software products (as measured with an external metric) on the efficiency, productivity, and safety in use.

Satisfaction metrics are divided into the following:

a. Satisfaction Scale

Subvariabel is used to determine the satisfaction of the user.

In this subvariabel calculation using the method of data elements are:

$$X = A / B$$

Description:

A = scale psychometric questionnaires produce

B = the average population

b. Satisfaction Questionnaire

Subvariabel is used to determine the user satisfaction of the features of the software. In this subvariabel calculation using the method of data elements are:

$$X = \sum(A_i) / n$$

Description:

A_i = responses to questions

n = number of responses

c. Wisdom In Use

Subvariabel is used to determine the proportion of potential users choose to use the system. In this subvariabel calculation using the method of data elements are:

$$X = A / B$$

Description:

A = the amount of use of the software used

B = the number of users expected to use the software.

2.6 Measurement Scale

In the study has two types of scales. These scales are scales for the measurement of the questionnaire and observation. The questionnaire study using a scale that can be expressed using an ordinal scale is 1-9. Scale was translated into a level that is, a low level 1-3, 4-6 to Medium level, and a High Level 7-9. While the observation of this study using a scale for frequency, Public Impact, Business Impact, Impact of Health, and the Impact of Recovery in Table 1. Measurement scale of observation.

TABLE 1 MEASUREMENT SCALE OBSERVATIONS

| Scale for the FREQUENCY | |
|--|--|
| 1 - Never Happen 2 - Once there 3 - A month ~ year 4 - A week ~ <1 month 5 - Continuous - Every Day | |
| PUBLIC IMPACT scale | BUSINESS IMPACT scale |
| 1 - There is no public impact 2 - Minor local, there is no interest of the press 3 - Minor local concern, local news 4 - National News, reputational risk 5 - Reputation destroyed | 1 - Cost can be ignored 2 - Cost <0.1% profit 3 - Cost ≥ 0.1% > 10% profit 4 - 10% ≥ Cost > 100% profit, temporary closure 5 - Cost > profit / closing |
| HEALTH IMPACT scale | RECOVERY IMPACT scale |
| 1 - There is no pain, Loss Time Accident = 0 2 - Hospital without treatment, the LTA = <2 days 3 - Pain with care, LTA = 2 days ~ one week 4 - moderately severe pain, LTA <1 month 5 - Very ill, LTA > 1 month | 1 - Total Recovery 1 month 2 - Total Restoration 1 year 3 - Total Recovery <5 years 4 - Total Recovery > 5 years 5 - Impact can not be restored |

With the observation table can use the Risk Matrix that can produce the level of risk as shown in Table 2. Risk Level Observation.

| FREQUENCY | LEVEL | | | | |
|---------------------|---------------------------|--------------|-----------------|--------------|--------------------------|
| | M | M | H | H | H |
| Every Day (5) | M | M | H | H | H |
| Once a week (4) | M | M | M | H | H |
| Once in 2 years (3) | L | M | M | H | H |
| To occur (2) | L | L | M | M | H |
| It Never Happened | L | L | M | M | M |
| IMPACT | Insigni- ficant (1) | Minor (2) | Moderate (3) | Major (4) | Catas- Trophic (5) |

III. DATA ANALYSIS OF QUESTIONNAIRE RESULTS

The research will be conducted by distributing questionnaires sample of 12 people. This questionnaire will examine the effectiveness metrics, Productivity, and Satisfaction of UBL FIK website

a. Effectiveness metrics

Inside there are 4 questions Effectiveness Metrics. Each question has a level and then compared the results of the statistics will get the final level for effectiveness metrics.

1. The question "is there any component or feature of the website that is not appropriate UBL FIK while running?"




Fig. 1. Percentage Graph User Response Questionnaire Question 1

Based on Fig. 1, shows 41.67% said Low, Medium 25% answered, and 33.33% said High. Therefore, the percentage level through the most answered by the respondents is low.

2. Question "how many time you run a website FIK UBL?"




Fig. 2. Percentage Graph User Response Questionnaire Question 2

Based on Fig. 2, shows 58.33% said Low, Medium 25% answered, and 16.67% said High. Therefore, the percentage level through the most answered by the respondents is low.

3. Question "How many times FIK website UBL completed their duties?"




Fig 3. Grafik image User Response Questionnaire Question 3

Based on Fig. 3, shows 83.33% said Low, no respondents who answered at the Medium level, and 16.67% said High. Therefore, the percentage level through the most answered by the respondents is low.

4. Question "how many times you make a mistake when accessing the website FIK UBL?"




Fig. 4. Percentage Graph User Response Questionnaire Question 4

Based on Fig. 4.8, shows 66.66% said Low, Medium 16.67% answered, and 16.67% said High. Therefore, the percentage level through the most answered by the respondents is low.

Metrics on the effectiveness of the four questions contained therein, all result in low levels. Therefore, the end result of the effectiveness of metrics is Low Level.

b. Productivity Metrics

Productivity metrics contained within the 3 questions. Each question has a level and then compared the results of the statistics will get the final level for productivity metrics.

1. Question "How long FIK UBL website to complete the task?"




Fig.5 Percentage Graph User Response Questionnaire Question 5

Based on Fig. 4.9, shows 16.67% said Low, Medium 66.66% answered, and 16.67% said High. Therefore, the percentage level through the most answered by the respondents is Medium.

2. Question "whether you are a current cost to access the website FIK UBL?"




Fig.6 Percentage Response Graphic User Questionnaire Question 6

Based on Fig. 4.10, shows 83.34% said Low, Medium 8.33% answered, and 8.33% said High. Therefore, the percentage level through the most answered by the respondents is low.

3. Question "whether you know about a website?"




Fig.7 Percentage Response Graphic User Questionnaire Question 7

Based on Fig. 4.11, shows 58.33% said Low, Medium 41.67% answered, and no respondents who answered at the High level. Therefore, the percentage level through the most answered by the respondents is low.

On productivity metrics from three questions contained in it, one question has the Medium and 2 Low-level questions produce. Therefore, the final results of the Level Low productivity metrics.

c. Satisfaction metrics

Satisfaction metrics contained in the first question that the level of questions is the result of the final level for satisfaction metrics.

The question "Are you satisfied with the components or features of the website FIK UBL?"




Fig.8 Percentage Response Graphic User Questionnaire Question 8

Based on Fig. 4.12, shows 33.34% said Low, Medium 58.33% answered, and 8.33% said High. Therefore, the percentage level through the most answered by the respondents is low. On a question of productivity metrics contained in the question has the Medium. Therefore, the end result of productivity metrics is the Medium Level.

TABLE 2.
LEVEL ANALYSIS OF QUESTIONNAIRE RESULTS

| Metriks | Level |
|---------------|-------|
| Effectiveness | L |
| Productivity | L |
| Satisfaction | M |

3.2 Data Analysis of Observations

After the observation at the Security metrics, produced the same final level as the final level in the questionnaire, namely the level of Low, Medium, and High. The results of each level of risk inherent in the observation of the security metrics yield percentage of 25% Low risk, Medium risk of 62.5%, and high risk as much as 12.5%. Therefore, security metrics have the final level is Medium, which has a medium risk of 62.5%.




Fig.9 Graph of Percentage of Observations

3.3 Merging Data Analysis of Questionnaire Results and Observations

After analyzing the results of questionnaires and observations, the results were combined to produce measurement results FIK website UBL based on ISO / IEC 9126-4 Quality Metrics Use.

TABLE 3 USE OF WEBSITE QUALITY MEASUREMENT RESULTS FIK UBL

| Quality Use of | |
|-----------------|-----------------------|
| Characteristics | Scale High/Medium/Low |
| Effectiveness | L |
| Productivity | L |
| Security | M |
| Satisfaction | M |

3.4 Implications of Research

Implications of Research is planning a study in the future so as to provide a basis for further research. This study has implications for the 3 (three) main aspects, namely: the managerial aspects, aspects of the system and further research aspects.

a. Managerial Aspects

With a faculty of management research is expected to utilize the results of this research by improving the quality of use of website based on ISO / IEC 9126-4 in order to improve the quality of use of the website.

b. Aspects of the system

The quality of UBL FIK website should be improved, so as to provide convenience to the user or student who uses this website UBL.

c. Aspects of Advanced Studies

In the next study is expected to examine UBL FIK website based on ISO / IEC other series. So the quality of UBL FIK website will get better and are in accordance with ISO Standards.

IV. RESULT

FIK UBL Website is the website of the Faculty of Computer Science education at the University of Bandar Lampung. Domain name from FIK website UBL is www.fik.ubl.ac.id. FIK website is a subdomain of the UBL website www.ubl.ac.id. The website uses ac.id as Country Code Top level domains, domain primarily UBL, and Third-level domain is the FIK. UBL has FIK Website Hosting Server at Nusanet provider. In terms of design websites using CMS jg FIK UBL, the CMS Lokomedia. Here are some of the UBL FIK .



Fig.10 Screenshot of Website FIK-1 UBL



Fig. 11 Screenshot of Website FIK-2 UBL



Fig. 12 Screenshot of Website FIK-2 UBL

Data obtained from the results of this study is qualitative data. Qualitative data was obtained from the questionnaire responses from the user and developer respondents in this study UBL FIK website and the observations made by the author. The research was carried out to respondents who

have a variety of activities on the system running. Respondent is an actor who portrayed the Use Case Diagram




Fig.13 Use Case Diagram

V. CONCLUSION

After analyzing the results of questionnaires and observations, the results were combined and compared to the levels required in the standard ISO / IEC 9126-4.

Table 4. Research results based on UBL Website FIK ISO 9126-4

| Quality Use of | | | |
|----------------|---------|-----------------|------------------|
| Metriks | Results | Levels required | Current Research |
| Efektivity | L | H | Not Available |
| Produktivty | L | H | Not Available |
| Security | M | L | Not Available |
| Satisfaction | M | M | Appropriate |

Based on the overall study produced some important findings in the conclusions that can be formulated as follows:

1. The effectiveness of metrics in the study produced low levels, while the level required is high. So that the results of research on the state website FIK UBL Effectiveness Metrics are not in accordance with ISO / IEC 9126-4.
2. Productivity metrics in the study produced low levels, while the level required is high. So that the results of research on the state website FIK UBL Productivity Metrics are not in accordance with ISO / IEC 9126-4.
3. Security metrics in the study produces Medium level, whereas it takes is a Low Level. So that the results of research on the state website FIK UBL Productivity Metrics are not in accordance with ISO / IEC 9126-4.
4. Satisfaction Metrics in the study produce medium level, while the required level is Medium. So that the website states FIK Research Metrics Satisfaction UBL in accordance with ISO / IEC 9126-4.
5. 4 Metrics Standards of ISO / IEC 9126-4, only one standard metrics that correspond to ISO / IEC 9126-4 based on the use of quality measurement research FIK website.

VI. RECOMMENDATION

As for recommendation that can be delivered by the author are:

1. By looking at these results, UBL FIK website should be improved so as to meet the standards of ISO / IEC 9126-4.
2. For the components of the website are not appropriate FIK UBL should be repaired so that the quality of use of the website better.

REFERENCES

- [1] 9126-4: *Software Engineering – Software Product Quality - Part 4: Quality In Use Metrics*. 2001. Canada: ISO/IEC
- [2] 9126-3: *Software Engineering – Software engineering –Product quality – Part 3: Internal metrics*. 2002. Canada: ISO/IEC.
- [3] 9126-2: *Software Engineering – Software engineering –Product quality – Part 2 - External Metrics*. 2001. Canada: ISO/IEC.
- [4] 9126-1: *Software Engineering – Software engineering –Product quality – Part 1: Quality model*. 2000. Canada: ISO/IEC.
- [5] Simarmata, Janner. 2007. *RekayasaPerangkatlunak*. Yogyakarta: PenerbitAndi.
- [6] Barnes, Stuart & Vidgen, Richard. *WebQual: An Exploration of Web-site Quality*. United Kingdom: School of Management, University of Bath.
- [7] Olsina, Luis & Rossi, Gustavo. 2002. *Measuring Web Application Quality with WebQEM*. Argentina: La Pampa National University & La Plata National University
- [8] Barnes, Stuart & Vidgen, Richard. 2000. *Assessing the quality of auction web sites*. United Kingdom: School of Management, University of Bath.
- [9] Bevan, Nigel. 2000. *Quality in use for all*.

Hosted By :
Faculty of Engineering and Faculty of Computer Science
Universitas Bandar Lampung (UBL)

